

CIDE-KICK® II

NONIONIC SPRAY ADJUVANT

ACTIVATOR / PENETRANT • BIODEGRADABLE • WATER MISCIBLE • LOW VISCOSITY



ACTIVE INGREDIENTS: 100% d'limonene and related isomers plus selected emulsifiers

WARNING:

Causes Serious Eye Irritation. May Cause an Allergic Skin Reaction.

FIRST AID:

If Swallowed: Rinse mouth. Call a doctor if you feel unwell.

If on Skin: Wash area with plenty of soap and water. Remove contaminated clothing. Launder clothing before reuse. If irritation or rash occurs get medical advice.

If in Eyes: Rinse cautiously with water for several minutes. Remove contacts if present. Continue rinsing. If irritation occurs get medical advice.

If Inhaled: Remove individual to fresh air. If affected, get medical attention.

FLASH POINT: 155°F
Combustible.

**KEEP OUT OF
THE REACH OF
CHILDREN.**

Do Not Take Internally.

CIDE-KICK II is a wetting agent, activator and penetrant all in one.

CIDE-KICK II helps break down the waxy cuticle on the leaf surface and helps penetrate the bud and bark area (of the woody brush), allowing a more effective uptake of the herbicide.

CIDE-KICK II is a byproduct of the forest industry, a low viscosity oil.

CIDE-KICK II is compatible with most terrestrial and aquatic herbicides, insecticides and other pesticides.

CONDITIONS OF SALE

We warrant that this product conforms to the chemical description on the label and is reasonably fit for the purposes set forth on the label.

THERE ARE NO OTHER WARRANTIES, WHETHER EXPRESSED OR IMPLIED, INCLUDING A WARRANTY OF FITNESS FOR A PARTICULAR PURPOSE.

This warranty does not extend to the handling or use of this product contrary to label instructions or under abnormal conditions or under conditions not reasonably foreseeable to seller, and buyer assumes all risk of any such use.

Surfactants in CIDE-KICK II are exempt from the requirements of tolerance under the CFR.

DIRECTIONS FOR USE

| Type of Herbicide Application | HIGH VOLUME GROUND APPLICATION | | LOW VOLUME GROUND & AERIAL APPLICATION per acre |
|--|--------------------------------|-----------------|---|
| | per 100 gal. | per acre | |
| Aquatic - surface | 1 pint-2 quarts | 1 pint-2 quarts | 1 pint-2 quarts |
| Aquatic - submerged | 1-2 gallons | 1-2 gallons | 1-2 gallons |
| Agriculture/Citrus/ Turf | 1-2 pints | 1-2 pints | 1-2 pints |
| Forest Site Preparation | 1-2 quarts | 1-2 quarts | 1-2 quarts |
| Utility Rights-of-Way and Roadside: Foliar | 1 pint-2 quarts | 1 pint-2 quarts | 1 pint-2 quarts |


OTHER APPLICATIONS: See Herbicide Label for rates.

Low Volume Basal & Dormant Brush: Increases Bark Penetration.

Forest Conifer Release: Cide-Kick II may reduce selectivity of herbicide with over-the-top application. Cide-Kick II can be used with insecticides, fungicides, growth regulators and biostimulants at various rates as determined by label and field experience.

Comments: Percent concentration of Cide-Kick II varies with total volume used per acre and type of application.

NET CONTENTS:



BREWER International

P.O. BOX 690037 VERO BEACH, FL 32969-0037
(772) 562-0555 • 1-800-228-1833
© 2014 BREWER INTERNATIONAL, INC.
www.brewerint.com

STORAGE AND DISPOSAL: Do not store near heat or open flame. Store in original container. Do not reuse empty container. Triple rinse (or equivalent) then dispose of or recondition container through the regulations set by local and state authorities.