| BIOTARC Insect, Slug & | SNA. KILLER |
|--|--|
| FOR ORGANIC GARDENING | ACTIVE INGREDIENTS: Iron phosphate |
| Keep Out Of Reach Of Children CAUTION Net Contents 5 lbs. | OTHER INGREDIENTS: 98.96% TOTAL: 100.00% EPA Est. No. 4-NY-1 EPA Reg. No. xxxxx-xx.93133 98995 |
| DIRECTIONS FOR USE | |

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Shake well before using.

PESTS CONTROLLED

Earwigs, cutworms, sowbugs, pillbugs, crickets, ants (including foraging ants, sweet-feeding ants, pavement ants, moisture ants, little black ants, argentine ants, crazy ants, acrobat ants, bigheaded ants, cornfield ants, ghost ants, odorous house ants, thief ants, Texas leafcutting ants, field ants, and other common ants) (excluding fire ants, harvester ants, Pharaoh ants and carpenter ants), sings, snails.

APPLICATION DIRECTIONS

Scatter the bait granules on the soil around or near the plants to be protected with a hand or power operated broadcast, granular or drop spreader (gravity or rotary) to ensure uniform coverage over the treatment area. Apply bait evenly at approximately 0.5 to 1 be protected with smaller areas, 0.075 to 0.15 oz, or 0.5 to 1 teaspoon, per square yard. Do not place in piles. Scatter the bait around the perimeter of the area to provide a protective "barrier" for pests entering the area. If the ground is dry, wet it before applying bait. The product works best when soil is moist but with little or no standing water. Do not use food utensils such as tablespoons, curs, etc. for food purposes after pesticide use. Do not apply more than 3 times in any 30 day period. Apply at the higher rate if the infestation is severe. Re-apply after heavy rain or watering. Do not apply within 3 days of harvest.

For seedings spread the bait around the base of the stem. For trees or shrubs, spread the bait around the base of the tree. For small plots, treat around the base of the plants to be protected. In greenhouses, scatter the bait in the pots of plants being damaged or around pots on greenhouse benches.

Evening is the best time to apply the bait as pests travel and feed mostly by night or early morning. Treat all likely areas of infestation, especially around the perimeter of garden plots for target pests because pests travel into plant areas from daytime refuges.

USE SITES

VEGETABLES: artichokes (globe), asparagus, beans, beets, broccoli, Brussels sprouts, cabbage, cantaloupe, carrots, cauliflower, corn, cucumbers, eggplants, gartic, lettuce, onions, peas, peppers, potatoes, ratishes, rutabagas, spinach, soybeans, squash, Swiss chard, tomatoes and turnips; FRUITS: apples, avocados, apricots, cherries, grapes, melons, peaches, plums, citrus, pears; BERRIES: strawberries, blueberries, loganberries; OUTDOOR ORNAMENTALS; GREENHOUSES (NON-COMMERCIAL); LAWNS; TURF.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE: Store this product in its original container and keep in a secure storage area out of reach of children and domestic animals.

PESTICIDE DISPOSAL AND CONTAINER HANDLING: Nonrefillable. Do not reuse or refill this container.

IF EMPTY: Place in trash or offer for recycling if available. IF PARTLY FILLED: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

FIRST AID

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control treatment advice.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For emergency information concerning this product, call the poison control center 1-800-222-1222

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS: Caution. Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco.

ENVIRONMENTAL HAZARDS: To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Sweeping any product that lands on a driveway, sidewalk, or street, back onto the treated area of the lawn or garden will help to prevent run off to water bodies or drainage systems.