



SELECTIVE IRON™ BROADLEAF HERBICIDE FOR LAWNS

CONTROLS WEEDS, DISEASE, MOSS, ALGAE, & LICHENS IN LAWNS

KILLS WEEDS, NOT LAWNS

KILLS WEEDS, DOWN TO THE ROOT

Keep Out Of Reach Of Children

CAUTION (See Back Panel for Additional
Precautionary Statements)
Net Contents 32 FL. OZ. (946 ML.)

ACTIVE INGREDIENT:
Iron HEDTA (FeHEDTA) 1.50%
OTHER INGREDIENTS 98.50%
TOTAL 100.00%
EPA Est. No. 4-NY-1 EPA Reg. No. 67702-27-93133

98997

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Causes slight eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

ENVIRONMENTAL HAZARDS

For terrestrial uses. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwater or rinsate. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Rinsing application equipment over the treated area will help avoid run off to water bodies or drainage systems.

FIRST AID

- IF IN EYES:**
- Hold eye open and rinse slowly and gently with water for 15-20 minutes.
 - Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
 - Call a poison control center or doctor for treatment advice.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

NOTICE: To the extent consistent with applicable law, buyer assumes all responsibility for safety and use not in accordance with directions.

SELECTIVE IRON™ BROADLEAF HERBICIDE FOR LAWNS

SELECTIVE CONTROL OF WEEDS IN LAWNS

DERIVED FROM IRON, WHICH OCCURS IN NATURE

KILLS WEEDS DOWN TO THE ROOT

KILLS MANY COMMON WEEDS LIKE DANDELION,
CLOVER, MOSS, NARROW-LEAVED PLANTAIN,
CHICKWEED AND THISTLE

Manufactured under a license of W. Neudorff GmbH KG, Germany.

EPA Est. No. 4-NY-1
EPA Reg. No. 67702-27-93133
Distributed by: A.M. Leonard
241 Fox Drive, Piqua, OH 45356

Quart



DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

USE SITES

Use to selectively control/suppress broadleaf weeds and diseases growing in lawns.

Pests

Controls or suppresses weeds such as but not limited to:

- Black medic (*Medicago lupulina*)
- Broadleaf plantain (*Plantago major*)
- Bull thistle (*Cirsium vulgare*)
- Canada thistle (*Cirsium arvense*)
- Common chickweed (*Stellaria media*)
- Creeping buttercup (*Ranunculus repens*)
- Creeping charlie/Ground ivy (*Glechoma hederacea*)
- Dandelion (*Taraxicum officinale*)
- Dovefoot geranium (*Geranium molle*)
- English daisy (*Bellis perennis*)
- False dandelion (*Hypochoeris radicata*)
- Healall (*Prunella vulgaris*)
- Moss, liverworts, algae and lichens
- Narrow-leaved plantain (*Plantago lanceolata*)
- Oxalis (*Oxalis* spp.)
- Persian Speedwell (*Veronica persica*)
- Prostrate knotweed (*Polygonum aviculare*)
- Shepard's-purse (*Capsella bursa-pastoris*)
- Silverweed cinquefoil (*Potentilla anserina*)
- Slender speedwell (*Veronica filiformis*)
- White clover (*Trifolium repens*)
- Wild chamomile (*Matricaria chamomilla*)

Controls or suppresses diseases such as but not limited to:

- Dollar spot
- Rust
- Snow mold

APPLICATION DIRECTIONS

Shake well before using.

Do not dilute. Thoroughly spray weeds. Use a coarse nozzle setting to reduce drift. Repeat treatment in 3 to 4 weeks for best results.

WHAT WILL I SEE?

Works quickly; dying weeds will be seen within hours of application. Treated weeds, moss or algae will turn brown or black. Occasionally a darkening of the grass leaf blades can occur after treatment, however the grass will recover within a few days to weeks. May stain thatch (dead grass under lawn); this does not affect the health of the grass.

USE PRECAUTIONS

Do not apply to drought stressed grass. Ensure lawn is well watered prior to application. Do not apply when the daytime temperature will exceed 85°F. Do not apply to bentgrass. If unsure of grass sensitivity, test spray a small area of your lawn. Do not apply to newly seeded areas prior to grass seed germination. Avoid spraying desirable plants. Any desirable plants or structures accidentally contacted should be rinsed with water. To avoid staining wait until treated area dries before re-entry. Do not apply if rainfall is expected within 3 hours of application. Do not irrigate within 3 hours of application. Do not apply to the same area more than 4 times a year, not including spot treatments.

STORAGE AND DISPOSAL

PESTICIDE STORAGE: Store this product in its original container and keep in a secure storage area out of reach of children and domestic animals. Store unused material, tightly closed, in original container only, away from open flame.

PESTICIDE DISPOSAL AND CONTAINER HANDLING: Non-refillable container. Do not reuse or refill this container. **If empty:** Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.