

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 05/05/2015

Reviewed on 05/05/2015

1 Identification

- · Product identifier
- · Trade name: 16-5-11-090-NANO
- · Relevant identified uses of the substance or mixture and uses advised against
- Product description PC12 Fertilizers
- · Details of the supplier of the safety data sheet

 Manufacturer/Supplier: Florikan ESA, LLC 6801 Energy Ct. Suite 100 Sarasota, FL. 34240 ph: 941-379-4048 ext 332 Fax: 941-377-3633 Email product info: Doug Cabe; dcabe@florikan.com
 Emergency telephone number: Chemtrec 800-424-9300

2 Hazard(s) identification

· Classification of the substance or mixture

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

· Label elements

- · GHS label elements
- The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms Non-Regulated Material
- · Signal word Non-Regulated Material
- · Hazard statements
- Harmful to aquatic life with long lasting effects.
- **Precautionary statements** Avoid release to the environment.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Unknown acute toxicity:
- 9.1 percent of the mixture consists of ingredient(s) of unknown toxicity.
- Classification system:
- · NFPA ratings (scale 0 4)



· HMIS-ratings (scale 0 - 4)

HEALTH	0	Health = 0
FIRE	0	Fire = 0
REACTIVITY	0	Reactivity = 0

· Hazard(s) not otherwise classified (HNOC): None known

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture of substances listed below with nonhazardous additions.

(Contd. on page 2)

www.Florikan.com



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 05/05/2015

Trade name: 16-5-11

Reviewed on	05/05/2015
-------------	------------

RTECS: OM 4500000 STOT SE 3, H335 CAS: 15708-41-5 EDTA feric sodium complex <2 Acute Tox. 4, H332; STOT SE 3, H335 <2 CAS: 7720-78-7 iron(II) sulfate <2 RTECS: NO 8510000 Acute Tox. 4, H302; Skin Irrit. 2, H315; Eye Irrit. 2A, H319 <2 CAS: 1332-58-7 Kaolin <2 CAS: 10034-96-5 Manganese(II) Sulfate Monohydrate <2 STOT RE 2, H373; Aquatic Chronic 2, H411; STOT SE 3, H335; STOT SE 3, H335;	· Dangerous Compone	
CAS: 15708-41-5 EDTA feric sodium complex ≤ 2 Acute Tox. 4, H332; STOT SE 3, H335 Acute Tox. 4, H332; STOT SE 3, H335 ≤ 2 CAS: 7720-78-7 iron(II) sulfate ≤ 2 RTECS: NO 8510000 Acute Tox. 4, H302; Skin Irrit. 2, H315; Eye Irrit. 2A, H319 ≤ 2 CAS: 1332-58-7 Kaolin ≤ 2 CAS: 10034-96-5 Manganese(II) Sulfate Monohydrate ≤ 2 STOT RE 2, H373; Aquatic Chronic 2, H411; STOT SE 3, H335; STOT SE 3, H335; ≤ 2 CAS: 7758-99-8 Copper Sulfate Pentahydrate ≤ 2		2-12
Acute Tox. 4, H332; STOT SE 3, H335 - CAS: 7720-78-7 RTECS: NO 8510000 iron(II) sulfate Acute Tox. 4, H302; Skin Irrit. 2, H315; Eye Irrit. 2A, H319 <2	RTECS: OM 4500000	
CAS: 7720-78-7 RTECS: NO 8510000 iron(II) sulfate Acute Tox. 4, H302; Skin Irrit. 2, H315; Eye Irrit. 2A, H319 ≤ 2 CAS: 1332-58-7 Kaolin ≤ 2 CAS: 10034-96-5 RTECS: OP0893500 Manganese(II) Sulfate Monohydrate STOT RE 2, H373; Aquatic Chronic 2, H411; STOT SE 3, H335; ≤ 2 CAS: 7758-99-8 Copper Sulfate Pentahydrate ≤ 2	CAS: 15708-41-5	≤ 2.5
RTECS: NO 8510000 Acute Tox. 4, H302; Skin Irrit. 2, H315; Eye Irrit. 2A, H319 CAS: 1332-58-7 Kaolin <22		
CAS: 1332-58-7 Kaolin <2		< 2.5 <
CAS: 10034-96-5 RTECS: OP0893500Manganese(II) Sulfate Monohydrate STOT RE 2, H373; Aquatic Chronic 2, H411; STOT SE 3, H335;<2	RTECS: NO 8510000	
RTECS: OP0893500 STOT RE 2, H373; Aquatic Chronic 2, H411; STOT SE 3, H335; CAS: 7758-99-8 Copper Sulfate Pentahydrate	CAS: 1332-58-7	< 2.5
CAS: 7758-99-8 Copper Sulfate Pentahydrate <2		< 2.5
		335;
RTECS: GL 8800000 Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Acute Tox. 4, H302; Skin Irrit. 2, H315; Eye Irrit. 2, H319		≤ 2 .5
	RTECS: GL 8800000	H302;
CAS: 7733-02-0 Zinc Sulphate (anhydrous) ≤ 2	CAS: 7733-02-0	< 2.5
Eye Dam. 1, H318; Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Acute Tox. 4, H302		1410;

4 First-aid measures

· Description of first aid measures

- After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Generally the product does not irritate the skin.
- If skin irritation occurs, consult a doctor.
- · After eve contact:

Rinse opened eye for several minutes under running water.

- If eye irritation occurs, consult a doctor.
- After swallowing: If swallowed and symptoms occur, consult a doctor.
- · Information for doctor:
- Most important symptoms and effects, both acute and delayed: No further relevant information available.
- Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:
- CO₂, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment:

As in any fire, wear self-contained breathing apparatus pressure-demand (NIOSH approved or equivalent), and full protective gear to prevent contact with skin and eyes.

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- Environmental precautions: Inform respective authorities in case of seepage into water course or sewage system. Do not allow to enter sewers/ surface or ground water.

(Contd. on page 3)



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 05/05/2015

Trade name: 16-5-11

Reviewed on 05/05/2015

- Methods and material for containment and cleaning up: Dispose of the collected material according to regulations.
 Reference to other sections See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

7 Handling and storage

- · Handling:
- · Precautions for safe handling No special precautions are necessary if used correctly.
- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: None.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see section 7.

· Control parameters

· Components with occupational exposure limits:

15708-41-5 EDTA feric sodium complex

STEL Short-term value: 10 mg/m³

TWA Short-term value: 10 mg/m³

7720-78-7 iron(II) sulfate

- REL Long-term value: 1 mg/m³ as Fe
- TLV Long-term value: 1 mg/m³ as Fe

1332-58-7 Kaolin

- PEL Long-term value: 15* 5** mg/m³ *total dust **respirable fraction
- REL Long-term value: 10* 5** mg/m³ *total dust **respirable fraction
- TLV Long-term value: 2* mg/m³ E; as respirable fraction

• Additional information: The lists that were valid during the creation of this SDS were used as basis.

· Exposure controls

- · Personal protective equipment:
- · General protective and hygienic measures: Wash hands before breaks and at the end of work.
- · Breathing equipment: Not required.
- · Protection of hands: Not required.
- Eye protection: Not required.

(Contd. on page 4)



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 05/05/2015

Trade name: 16-5-11

General Information

9 Physical and chemical properties

· Information on basic physical and chemical properties

Reviewed on 05/05/2015

· Appearance: Form: Granulate Color: Whitish · Odor: Odorless · Odor threshold: Not determined. · pH-value: Not applicable. · Change in condition Melting point/Melting range: Not determined. Boiling point/Boiling range: 1689 °C (3072 °F) · Flash point: Not applicable. · Flammability (solid, gaseous): Not determined. · Ignition temperature: Decomposition temperature: Not determined. · Auto igniting: Product is not self-igniting. · Danger of explosion: Product does not present an explosion hazard. · Explosion limits: Lower: Not determined. Upper: Not determined. Not applicable. · Vapor pressure: · Density @ 20 °C (68 °F): 1 g/cm³ (8.345 lbs/gal) · Relative density Not determined. Vapor density Not applicable. · Evaporation rate Not applicable. · Solubility in / Miscibility with Water: Soluble. Partition coefficient (n-octanol/water): Not determined. · Viscosity: Dynamic: Not applicable. Not applicable. Kinematic: Solvent content: Organic solvents: 0.0% Water: 0.3 % Solids content: 100.0 %

· Reactivity No further relevant information available.

Other information

Stability and reactivity

• Chemical stability Stable under normal conditions.

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

No further relevant information available.



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 05/05/2015

Trade name: 16-5-11

- Possibility of hazardous reactions No dangerous reactions known.
- Conditions to avoid No further relevant information available.
- Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

1 Toxicological information

 Information on toxicological effects Acute toxicity: LD/LC50 values that are relevant for classification: 		
7487-88-9 Magnesium Sulphate Oral LD50 >2000 mg/kg (rat)		
	>2000 mg/l (rabbit)	
Inhalative LC50/4 h >2000 mg/l (rabbit) LC50/96 hours 2820 mg/l (Pimephales)		
	>2000 mg/kg (rat)	
LD50	>2000 mg/kg (rat)	
LC50/4 h	>2.75 mg/l (rat)	
LC50/96 hours	>100 mg/l (Trout)	
iron(II) sulfate		
LD50	1520 mg/kg (mouse)	
Copper Sulfate	Pentahydrate	
Oral LD50 300 mg/kg (rat)		
 on the skin: No irritating effect. on the eye: No irritating effect. Additional toxicological information: Carcinogenic categories 		
IARC (International Agency for Research on Cancer)		
None of the ingredients are listed.		
• NTP (National Toxicology Program)		
None of the ingredients are listed.		
OSHA-Ca (Occupational Safety & Health Administration)		
None of the ingredients are listed.		
12 Ecological information		
 Toxicity Aquatic toxicity: Avoid release into the environment. Runoff from fire control or dilution water may cause pollution. 7487-88-9 Magnesium Sulphate EC50 2700 mg/l (Green algae) 343.56 mg/l (Water flea) 15708-41-5 EDTA feric sodium complex 		
	Additional Agentications and a construction of the second agent agent and a construction of the second agent ag	

• Persistence and degradability No further relevant information available.

Reviewed on 05/05/2015

(Contd. on page 6)



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 05/05/2015

Trade name: 16-5-11

Reviewed on 05/05/2015

- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Ecotoxical effects:
- · Remark: Harmful to fish
- Additional ecological information:
- · General notes: Harmful to aquatic organisms
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- **vPvB**: Not applicable.
- Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

4 Transport information

· UN-Number	
· DOT, ADR, IMDG, IATA	Non-Regulated Material
· UN proper shipping name	·
· DOT, ADR, IMDG, IATA	Non-Regulated Material
Transport hazard class(es)	Ū.
· DOT, ADR, IMDG, IATA	
· Class	Non-Regulated Material
· Packing group	Non Rogulatou Matorial
· DOT, ADR, IMDG, IATA	Non-Regulated Material
· Environmental hazards:	Not applicable.
 Special precautions for user 	Not applicable.
• Transport in bulk according to Annex II o	
MARPOL73/78 and the IBC Code	Not applicable.
• UN "Model Regulation":	
5 Regulatory information	

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Sara

Section 355	5 (extremely hazardous substances):
7720-78-7 i	ron(II) sulfate
Section 313	3 (Specific toxic chemical listings):
10034-96-5	Manganese(II) Sulfate Monohydrate
7758-99-8	Copper Sulfate Pentahydrate
7733-02-0	Zinc Sulphate (anhydrous)
· TSCA (Toxi	c Substances Control Act):
7778-80-5	Potassium Sulfate
	(Contd. on page 7)



Safety Data Sheet (SDS) OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 05/05/2015

Trade name: 16-5-11

	•	ım Sulphate	
15708-41-5	EDTA feric sodium complex		
7720-78-7	iron(II) su	lfate	
1332-58-7	Kaolin		
		propylene) triol	
		ulfate Pentahydrate	
		hate (anhydrous)	
7631-95-0		•	
		tilled, conductivity or of similar purity	
California F Chemicals		n 65 cause cancer:	
None of the			
	-	cause reproductive toxicity for females:	
None of the		• •	
	0	cause reproductive toxicity for males:	
None of the		• •	
	-	cause developmental toxicity:	
None of the			
	•		
Carcinoger EPA (Envir		Protection Agency)	
-		se(II) Sulfate Monohydrate	D
	-	hate (anhydrous)	D, I, II
	•	t Value established by ACGIH)	
1332-58-7			2 mg/m3
NIOSH-Ca (National I	Institute for Occupational Safety and Health)	J [*]
None of the			
· GHS label e	•		
The product	is classifie	ed and labeled according to the Globally Harmonized System (GHS).	
		Ion-Regulated Material	
Signal word Hazard stat		ulated Material	
Harmful to a	quatic life	with long lasting effects.	
Precaution			
Avoid releas		nvironment. ontainer in accordance with local/regional/national/international regulations.	
· National reg			
	t is subjec	t to be classified according with the latest version of the regulations on h	azardous
· State Right	to Know		
CAS: 7778-8 RTECS: TT	80-5	Potassium Sulfate	70-90%
		Polyurethane elastomer	5-10%
		-	otd on nade 8)

Reviewed on 05/05/2015

(Contd. on page 8)



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 05/05/2015

Trade name: 16-5-11

CAS: 7487-88-9	Magnesium Sulphate	2-12%
RTECS: OM 4500000		
CAS: 15708-41-5	EDTA feric sodium complex	≤ 2.5%
	1 Acute Tox. 4, H332; STOT SE 3, H335	
CAS: 7720-78-7	iron(II) sulfate	< 2.5%
RTECS: NO 8510000	1 Acute Tox. 4, H302; Skin Irrit. 2, H315; Eye Irrit. 2A, H319	
CAS: 1332-58-7	Kaolin	$\leq 2.5\%$
All ingredients are liste	d.	I

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

The information and recommendations in this safety data sheet are, to the best of our knowledge, accurate as of the date of issue. Nothing herein shall be deemed to create warranty, expressed or implied and shall not establish a legally valid contractual relationship. It is the responsibility of the user to determine applicability of this information and the suitability of the material or product for any particular purpose.

· Date of preparation / last revision 05/05/2015 / -

· Abbreviations and acronyms:

ADR: The European Agreement concerning the International Carriage of Dangerous Goods by Road ADN: The European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) LC50: Lethal concentration, 50 percent LD50: Lethal concentration, 50 percent LD50: Lethal concervicity, Hazard Category 2 Eye Dam. 1: Serious eye damage/eye irritation, Hazard Category 2 Eye Irrit. 2: Serious eye damage/eye irritation, Hazard Category 2 Eye Irrit. 2: Serious eye damage/eye irritation, Hazard Category 2 STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 2 Aquatic Acute 1: Hazardous to the aquatic environment - AcuteHazard, Category 2 Aquatic Chronic 2: Hazardous to the aquatic environment - AcuteHazard, Category 2 Aquatic Chronic 2: Hazardous to the aquatic environment - Chronic Hazard, Category 2 Aquatic Chronic 3: Hazardous to the aquatic environment - Chronic Hazard, Category 2 Aquatic Chronic 3: Hazardous to the aquatic environment - Chronic Hazard, Category 2 Aquatic Chronic 3: Hazardous to the aquatic environment - Chronic Hazard, Category 3 * Data compared to the previous version altered. SDS created by MSDS Authoring Services www.msdsauthoring.com (877) 204-9106

Reviewed on 05/05/2015