www.Florikan.com



Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Printing date 04/10/2015 Reviewed on 04/10/2015

1 Identification

- · Product identifier
- · Trade name: 20-4-9
- · Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

- · Application of the substance / the mixture Fertilizer
- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Florikan ESA, LLC

6801 Energy Ct.

Suite 100

Sarasota, FL. 34240

ph: 941-379-4048 ext 332

Fax: 941-377-3633

Email product info: Doug Cabe; dcabe@florikan.com

· Emergency telephone number: Chemtrec 800-424-9300

Hazard(s) identification

Classification of the substance or mixture

The product does not need classification according to OSHA HazCom Standard 29 CFR paragraph (d) of §1910.1200(g) and GHS Rev 03.

- · Label elements
- · GHS label elements Non-Regulated Material
- · Hazard pictograms Non-Regulated Material
- · Signal word Non-Regulated Material
- · Hazard statements Non-Regulated Material
- · Unknown acute toxicity:
- 9.5 percent of the mixture consists of ingredient(s) of unknown toxicity.
- · Classification system:
- · NFPA ratings (scale 0 4)



Health = 0Fire = 0Reactivity = 0

· HMIS-ratings (scale 0 - 4)



Health = 0Fire = 0

· Hazard(s) not otherwise classified (HNOC): None known

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous Components:		
CAS: 57-13-6 RTECS: YR 6250000	Urea	15-35%
CAS: 7487-88-9	Magnesium Sulphate	≤ 2.5%
RTECS: OM 4500000	♦ STOT SE 3, H335	

(Contd. on page 2)



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Printing date 04/10/2015 Reviewed on 04/10/2015

Trade name: 20-4-9

CAS: 1309-48-4	Magnesium Oxide	$\leq 2.5\%$
	♦ Skin Irrit. 2, H315; Eye Irrit. 2A, H319; STOT SE 3, H335	
CAS: 7720-78-7	iron(II) sulfate	≤ 2.5%
RTECS: NO 8510000	① Acute Tox. 4, H302; Skin Irrit. 2, H315; Eye Irrit. 2A, H319	
CAS: 10034-96-5	Manganese(II) Sulfate Monohydrate	≤ 2.5%
RTECS: OP0893500	STOT RE 2, H373; Aquatic Chronic 2, H411; STOT SE 3, H335; Aquatic Acute 2, H401	
CAS: 7758-99-8	Copper Sulfate Pentahydrate	≤ 2.5%
RTECS: GL 8800000	Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Acute Tox. 4, H302; Skin Irrit. 2, H315; Eye Irrit. 2, H319	
CAS: 7733-02-0	Zinc Sulphate (anhydrous)	≤ 2.5%
	Eye Dam. 1, H318; Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Acute Tox. 4, H302	

4 First-aid measures

- · Description of first aid measures
- · General information: No special measures required.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact:

Generally the product does not irritate the skin.

If skin irritation occurs, consult a doctor.

· After eye contact:

Rinse opened eye for several minutes under running water.

If eye irritation occurs, consult a doctor.

- · After swallowing: If swallowed and symptoms occur, consult a doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment:

As in any fire, wear self-contained breathing apparatus pressure-demand (NIOSH approved or equivalent), and full protective gear to prevent contact with skin and eyes.

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- · Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · Methods and material for containment and cleaning up:

Dispose of the collected material according to regulations.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

(Contd. on page 3)



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Printing date 04/10/2015 Reviewed on 04/10/2015

Trade name: 20-4-9

7 Handling and storage

- · Handling:
- · Precautions for safe handling No special measures required.
- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see section 7.
- · Control parameters

· Control parameters			
· Components with occupational exposure limits: 57-13-6 Urea			
			WEEL
1309-	48-4 Magnesium Oxide		
PEL	Long-term value: 15* mg/m³ fume; *total particulate		
TLV	Long-term value: 10* mg/m³ *as inhalable fraction		
7720-	78-7 iron(II) sulfate		
REL	Long-term value: 1 mg/m³ as Fe		
TLV	Long-term value: 1 mg/m ³		

- · Additional information: The lists that were valid during the creation of this SDS were used as basis.
- · Exposure controls

as Fe

- · Personal protective equipment:
- · General protective and hygienic measures: No special measures required.
- · Breathing equipment: Not required.
- · Protection of hands: Not required.
- · Material of gloves Not required.
- · Penetration time of glove material Not applicable.
- · Eye protection: Not required.

9 Physical and chemical properties

- · Information on basic physical and chemical properties
- · General Information
- · Appearance:

Form: Granulate
Color: Whitish
Odor! Odorless
Odor threshold: Not determined.

(Contd. on page 4)



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Printing date 04/10/2015 Reviewed on 04/10/2015

Trade name: 20-4-9

· **pH-value:** Not applicable.

· Change in condition

Melting point/Melting range:Not determined.Boiling point/Boiling range:1689 °C (3072 °F)

· Flash point: Not applicable.

· Flammability (solid, gaseous): Not determined.

· Ignition temperature:

Decomposition temperature: Not determined.

· Auto igniting: Product is not self-igniting.

· **Danger of explosion:** Product does not present an explosion hazard.

· Explosion limits:

Lower: Not determined.Vapor pressure: Not applicable.

· Density:

Relative densityNot determined.Vapor densityNot applicable.Evaporation rateNot applicable.

· Solubility in / Miscibility with

Water: Insoluble.

· Partition coefficient (n-octanol/water): Not determined.

· Viscosity:

Dynamic: Not applicable. **Kinematic:** Not applicable.

· Solvent content:

Organic solvents: 0.0 %
Solids content: 100.0 %

Other information No further relevant information available.

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability Stable under normal conditions.
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

(Contd. on page 5)



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Printing date 04/10/2015 Reviewed on 04/10/2015

Trade name: 20-4-9

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

, 10010 107	rioute textory.	
· LD/LC50 values that are relevant for classification: 57-13-6 Urea		
7487-88-9 Magnesium Sulphate		ulphate
Oral	LD50	>2000 mg/kg (rat)
Inhalative	LC50/4 h	>2000 mg/l (rabbit)
	LC50/96 hours	2820 mg/l (Pimephales)
7720-78-7	' iron(II) sulfate	
Oral	LD50	1520 mg/kg (mouse)
7758-99-8 Copper Sulfate Pentahydrate		e Pentahydrate
Oral	LD50	300 mg/kg (rat)

- · Primary irritant effect:
- · on the skin: No irritating effect.
- · on the eye: No irritating effect.
- · Additional toxicological information:

The product is not subject to classification according to internally approved calculation methods for preparations:

When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer)

Substance is not listed.

· NTP (National Toxicology Program)

None of the ingredients are listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients are listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity:

57-13-6 Urea

EC50 >10000 mg/l (daphnia)

7487-88-9 Magnesium Sulphate

EC50 2700 mg/l (Green algae)

343.56 mg/l (Water flea)

- · Persistence and degradability No further relevant information available.
- Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes: Not known to be hazardous to water.



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Printing date 04/10/2015 Reviewed on 04/10/2015

Trade name: 20-4-9

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

3 Disposal considerations

- · Waste treatment methods
- · Recommendation: Small quantities can be disposed of with household waste.
- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

4 Transport information

· UN-Number

· DOT, ADR, IMDG, IATA Non-Regulated Material

· UN proper shipping name

· DOT, ADR, IMDG, IATA Non-Regulated Material

· Transport hazard class(es)

· DOT, ADR, IMDG, IATA

· Class Non-Regulated Material

· Packing group

· DOT, ADR, IMDG, IATA Non-Regulated Material

· Environmental hazards: Not applicable. · Special precautions for user Not applicable.

· Transport in bulk according to Annex II of

MARPOL73/78 and the IBC Code Not applicable.

· UN "Model Regulation":

5 Regulatory information

7720-78-7 iron(II) sulfate

1332-58-7 Kaolin

- · Safety, health and environmental regulations/legislation specific for the substance or mixture

· Sara	, ,	
· Section 355 (extremely hazardous substances):		
7720-78-7 i	ron(II) sulfate	
Section 313	3 (Specific toxic chemical listings):	
11129-60-5	Manganese oxide	
10034-96-5	Manganese(II) Sulfate Monohydrate	
7758-99-8	Copper Sulfate Pentahydrate	
7733-02-0	Zinc Sulphate (anhydrous)	
1314-13-2	zinc oxide	
· TSCA (Tox	c Substances Control Act):	
7778-80-5	Potassium Sulfate	
57-13-6	Urea	
7487-88-9	Magnesium Sulphate	
1317-61-9	Iron Oxide	
1309-48-4	Magnesium Oxide	

(Contd. on page 7)



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Printing date 04/10/2015 Reviewed on 04/10/2015

Trade name: 20-4-9

25791-96-2	Poly(oxypropylene) triol
7758-99-8	Copper Sulfate Pentahydrate
7733-02-0	Zinc Sulphate (anhydrous)
1314-13-2	zinc oxide
7631-95-0	Sodium Molybdate

· Proposition 65

· Chemicals known to cause cancer:

None of the ingredients are listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients are listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients are listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients are listed.

· Carcinogenic categories

· EPA (Envir	· EPA (Environmental Protection Agency)		
57-13-6	Urea	II	
11129-60-5	Manganese oxide	D	
10034-96-5	Manganese(II) Sulfate Monohydrate	D	
7733-02-0	Zinc Sulphate (anhydrous)	D, I, II	
1314-13-2	zinc oxide	D, I, II	
· TLV (Thres	hold Limit Value established by ACGIH)		
1309-48-4 I	Magnesium Oxide A	4	
1332-58-7 I	Kaolin 2	mg/m3	
· NIOSH-Ca (National Institute for Occupational Safety and Health)		
None of the	ingredients are listed.		

- · GHS label elements Non-Regulated Material
- · Hazard pictograms Non-Regulated Material
- · Signal word Non-Regulated Material
- · Hazard statements Non-Regulated Material

· National regulations:

The product is subject to be labeled according with the prevailing version of the regulations on hazardous substances.

· State Right to Know

· State Right to Know		
CAS: 7778-80-5 RTECS: TT5900000	Potassium Sulfate	60-90%
CAS: 57-13-6 RTECS: YR 6250000	Urea	15-35%
	Polyurethane elastomer	5-10%
CAS: 7487-88-9	Magnesium Sulphate	$\leq 2.5\%$
RTECS: OM 4500000	◆ STOT SE 3, H335	
CAS: 1317-61-9	Iron Oxide	$\leq 2.5\%$

(Contd. on page 8)





OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Printing date 04/10/2015 Reviewed on 04/10/2015

Trade name: 20-4-9

CAS: 1309-48-4	Magnesium Oxide	≤ 2.5%
	♦ Skin Irrit. 2, H315; Eye Irrit. 2A, H319; STOT SE 3, H335	
All ingredients are lis	sted.	·

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

6 Other information

The information and recommendations in this safety data sheet are, to the best of our knowledge, accurate as of the date of issue. Nothing herein shall be deemed to create warranty, expressed or implied and shall not establish a legally valid contractual relationship. It is the responsibility of the user to determine applicability of this information and the suitability of the material or product for any particular purpose.

- Date of preparation / last revision 04/10/2015 / -
- Abbreviations and acronyms:

ADR: The European Agreement concerning the International Carriage of Dangerous Goods by Road

ADN: The European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

LD50: Lethal dose, 50 percent '
Acute Tox. 4: Acute toxicity, Hazard Category 4
Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2
Eye Dam. 1: Serious eye damage/eye irritation, Hazard Category 1
Eye Irrit. 2: Serious eye damage/eye irritation, Hazard Category 2
Eye Irrit. 2A: Serious eye damage/eye irritation, Hazard Category 2A
STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3
STOT RE 2: Specific target organ toxicity - Repeated exposure, Hazard Category 2
Aquatic Acute 1: Hazardous to the aquatic environment - AcuteHazard, Category 1
Aquatic Acute 2: Hazardous to the aquatic environment - Chronic Hazard, Category 1
Aquatic Chronic 1: Hazardous to the aquatic environment - Chronic Hazard, Category 1
Pata compared to the previous version altered.

* Data compared to the previous version altered.

SDS created by MSDS Authoring Services www.msdsauthoring.com (877) 204-9106