



An Emery-Owned Company

# SAFETY DATA SHEET

Issue Date 28-Jul-2014

Revision Date 18-Sep-2017

Version 4

## 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

### Product identifier

Product Name FeRROMEC® AC Liquid Iron 15-0-0

### Other means of identification

Product Code PBI FP-9701128

Product Size 2/2 5 U. S. Gal.

### Recommended use of the chemical and restrictions on use

Recommended Use Fertilizers

Uses advised against No information available

### Details of the supplier of the safety data sheet

Supplier	Manufacturer	Company Name
PBI Gordon Corporation	PBI Gordon Corporation	PBI Gordon Corporation
1217 West 12th Street	1217 West 12th Street	1217 West 12th Street
Kansas City, MO 64101	Kansas City, MO 64101	Kansas City, MO 64101

### Emergency telephone number

Emergency Telephone Chemtrec 1-800-424-9300

## 2. HAZARDS IDENTIFICATION

### Classification

#### OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute Oral Toxicity	Category 4
Skin Corrosion/Irritation Category	Category 2
Serious eye damage/eye irritation	Category 2

### Label elements

#### Emergency Overview

#### Warning

#### Hazard statements

Harmful if swallowed. Causes skin irritation. Causes serious eye irritation.



Appearance Liquid

Physical state Liquid

Odor No discernible odor

### Precautionary Statements - Prevention

- Wash face, hands and any exposed skin thoroughly after handling
- Do not eat, drink or smoke when using this product
- Wear protective gloves/protective clothing/eye protection/face protection

- Avoid release to the environment.

**Precautionary Statements - Response**

- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- If eye irritation persists: Get medical advice/attention.
- IF ON SKIN: Wash with plenty of soap and water.
- If skin irritation occurs: Get medical advice/attention.
- Take off contaminated clothing and wash before reuse.
- IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.
- Rinse mouth.
- Collect spillage.

**Precautionary Statements - Disposal**

- Dispose of contents/container to an approved waste disposal plant.

**Hazards not otherwise classified (HNOC)**

Have the product label with you when calling a poison control center or doctor or going in for treatment. You may also contact 1-877-800-5556 for emergency medical treatment advice.

**Other Information****3. COMPOSITION/INFORMATION ON INGREDIENTS**

Chemical Name	CAS. Number	Weight %
Urea	57-13-8	32.61
Ferrous Sulfate	7720-78-7	16.32

\* The exact percentage (concentration) of composition has been withheld as a trade secret

**4. FIRST AID MEASURES****First aid measures**

General advice	In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Do not rub affected area. If symptoms persist, call a physician.
Skin Contact	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. If symptoms persist, call a physician.
Inhalation	Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. If symptoms persist, call a physician.
Ingestion	Clean mouth with water and drink afterwards plenty of water. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. If swallowed, call a poison control center or physician immediately.
Self-protection of the first aider	Use personal protective equipment as required.

**Most important symptoms and effects, both acute and delayed**

Symptoms	No information available.
----------	---------------------------

**Indication of any immediate medical attention and special treatment needed**

Note to physicians	Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated. Do not give chemical antidotes. Asphyxia from glottal edema may occur. Marked decrease in blood
--------------------	---

pressure may occur with moist rales, frothy sputum, and high pulse pressure. Treat symptomatically.

## 5. FIRE-FIGHTING MEASURES

### Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

### Specific hazards arising from the chemical

The product causes burns of eyes, skin and mucous membranes. Thermal decomposition can lead to release of irritating and toxic gases and vapors. In the event of fire and/or explosion do not breathe fumes.

### Explosion data

Sensitivity to Mechanical Impact None.

Sensitivity to Static Discharge None.

### Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## 6. ACCIDENTAL RELEASE MEASURES

### Personal precautions, protective equipment and emergency procedures

#### Personal precautions

Use personal protective equipment as required. Avoid contact with eyes and skin. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.

#### Environmental precautions

#### Environmental precautions

Prevent entry into waterways, sewers, basements or confined areas. Do not flush into surface water or sanitary sewer system. Prevent further leakage or spillage if safe to do so. Prevent product from entering drains. See Section 12 for additional ecological information.

#### Methods and material for containment and cleaning up

#### Methods for containment

Prevent further leakage or spillage if safe to do so.

#### Methods for cleaning up

Cover liquid spill with sand, earth or other non-combustible absorbent material. Use personal protective equipment as required. Dam up. Take up mechanically, placing in appropriate containers for disposal. Clean contaminated surface thoroughly. After cleaning, flush away traces with water.

## 7. HANDLING AND STORAGE

### Precautions for safe handling

#### Advice on safe handling

Use personal protective equipment as required. Avoid contact with skin, eyes or clothing. Wash contaminated clothing before reuse. Do not breathe dust/fume/gas/mist/vapors/spray. Do not eat, drink or smoke when using this product. In case of insufficient ventilation, wear suitable respiratory equipment. Use only with adequate ventilation and in closed systems.

### Conditions for safe storage, including any incompatibilities

#### Storage Conditions

Keep out of the reach of children. Keep container tightly closed in a dry and well-ventilated place. Keep in properly labeled containers.

#### Incompatible materials

Strong bases. Incompatible with oxidizing agents. Incompatible with strong acids and bases.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Control parameters

**Exposure Guidelines**

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Ferrous Sulfate 7720-78-7	TWA: 1 mg/m <sup>3</sup> Fe	(vacated) TWA: 1 mg/m <sup>3</sup> Fe	TWA: 1 mg/m <sup>3</sup> Fe

NIOSH IDLH Immediately Dangerous to Life or Health

**Other Information**

Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).

**Appropriate engineering controls****Engineering Controls** Local and General Ventilation.**Individual protection measures, such as personal protective equipment****Eye/face protection** Tight sealing safety goggles, Face protection shield.**Skin and body protection** Wear protective gloves and protective clothing. Wear long-sleeved shirt, long pants, socks and shoes.**Respiratory protection** If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.**General Hygiene Considerations**

When using do not eat, drink or smoke. Wash contaminated clothing before reuse. Keep away from food, drink and animal feeding stuffs. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Avoid contact with skin, eyes or clothing. Take off all contaminated clothing and wash it before reuse. Wear suitable gloves and eye/face protection.

**9. PHYSICAL AND CHEMICAL PROPERTIES****Information on basic physical and chemical properties**

<b>Physical state</b>	Liquid	<b>Odor</b>	No discernible odor
<b>Appearance</b>	Liquid	<b>Odor threshold</b>	No information available
<b>Color</b>	Green		
<b>Property</b>	<b>Values</b>	<b>Remarks + Method</b>	
pH	2.0-2.5		
Melting point/freezing point	-5 °C / 23 °F		
Boiling point / boiling range	121 °C / 250 °F		
Flash point	> 96 °C / > 205 °F		
Evaporation rate	< 1		
Flammability (solid, gas)	No information available		
Flammability Limit in Air:			
Upper flammability limit:	No information available		
Lower flammability limit:	No information available		
Vapor pressure	<17 mm Hg		
Vapor density	>1		
Specific Gravity	1.3589		
Water solubility	Soluble in water		
Solubility in other solvents	No information available		
Partition coefficient	No information available		
Autoignition temperature	No information available		
Decomposition temperature	No information available		
Oxidizing properties	No information available		

**Other Information**

**Density** 11.42 pounds/gallon

## 10. STABILITY AND REACTIVITY

**Reactivity**

No data available

**Chemical stability**

Stable

**Possibility of Hazardous Reactions**

None under normal processing.

**Hazardous polymerization**

Will not occur.

**Conditions to avoid**

(Store below 110 degrees F). Exposure to air over prolonged periods. Exposure to air or moisture over prolonged periods.

**Incompatible materials**

Strong bases. Incompatible with oxidizing agents. Incompatible with strong acids and bases.

**Hazardous Decomposition Products**

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

## 11. TOXICOLOGICAL INFORMATION

**Information on likely routes of exposure**

**Product Information**

**Inhalation** May cause irritation.

**Eye contact** May cause irritation. May cause burns.

**Skin Contact** May cause irritation.

**Ingestion** May cause irritation. May be harmful if swallowed.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Urea 57-13-6	= 8471 mg/kg ( Rat )	-	-
Ferrous Sulfate 7720-78-7	= 319 mg/kg ( Rat )	-	-

**Information on toxicological effects**

**Symptoms** No information available.

**Delayed and immediate effects as well as chronic effects from short and long-term exposure**

**Sensitization**

No information available.

**Germ cell mutagenicity**

No information available.

**Carcinogenicity**

No information available.

**Reproductive toxicity**

No information available.

**STOT - single exposure**

No information available.

**STOT - repeated exposure**

No information available.

**Chronic toxicity**

Chronic exposure to corrosive fumes/gases may cause erosion of the teeth followed by jaw necrosis. Bronchial irritation with chronic cough and frequent attacks of pneumonia are common. Gastrointestinal disturbances may also be seen. Avoid repeated exposure.

Possible risk of irreversible effects. May cause adverse liver effects.

**Target Organ Effects**

Eyes, Gastrointestinal tract (GI), Liver, Respiratory system, Skin, Teeth.

**Aspiration hazard**

No information available.

Numerical measures of toxicity - Product Information

**Unknown Toxicity** 12 % of the mixture consists of ingredient(s) of unknown toxicity

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral)	1902 mg/kg
ATEmix (inhalation-dust/mist)	2.9 mg/L

**12. ECOLOGICAL INFORMATION**Ecotoxicity

Toxic to aquatic life

12% of the mixture consists of components(s) of unknown hazards to the aquatic environment

Chemical Name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Urea 57-13-6		16200 - 18300; 96 h Poecilia reticulata mg/L LC50		3910; 48 h Daphnia magna mg/L EC50 Static 10000; 24 h Daphnia magna Straus mg/L EC50
Ferrous Sulfate 7720-78-7		0.56; 96 h Cyprinus carpio mg/L LC50 semi-static 925; 96 h Poecilia reticulata mg/L LC50 static		152; 48 h Daphnia magna mg/L EC50 6.15 - 9.26; 48 h Daphnia magna mg/L EC50 Static

Persistence and degradability

No information available.

Bioaccumulation

No information available.

Other adverse effects

No information available

**13. DISPOSAL CONSIDERATIONS**Waste treatment methodsDisposal of wastes

Disposal should be in accordance with applicable regional, national and local laws and regulations. This material, as supplied, is a hazardous waste according to federal regulations (40 CFR 261).

Contaminated packaging

Do not reuse container, unless specified by the manufacturer.

**14. TRANSPORT INFORMATION**DOTDescription

The following guidelines apply for domestic ground transport. If shipping by air or ocean, please contact our Transportation Dept.

FERTILIZERS NOI - NMFC #68140, SUB B

**15. REGULATORY INFORMATION**U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

International Inventories

TSCA	Listed
DSL/NDSL	Listed
EINECS/ELINCS	Listed
ENCS	Not Listed
IECSC	Listed
KECL	Listed
PICCS	Listed
AICS	Listed

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

Chemical Name	TSCA	DSL	NDSL	EINECS	ELINCS	ENCS	IECSC	KECL	PICCS	AICS
Urea	X	X		X		X	X	X	X	X
Ferrous Sulfate	X	X		X		X	X	X	X	X

US Federal RegulationsSARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazard Categories

Acute health hazard	Yes
Chronic Health Hazard	Yes
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Ferrous Sulfate 7720-78-7	1000 lb			X

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Ferrous Sulfate 7720-78-7	1000 lb		RQ 1000 lb final RQ RQ 454 kg final RQ

US State RegulationsU.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Ferrous Sulfate 7720-78-7	X	X	X

International Regulations

Mexico - Grade

Slight nsk, Grade 1

Chemical Name	Carcinogenicity	Exposure Limits
Ferrous Sulfate		Mexico: TWA 1 mg/m <sup>3</sup> Mexico: STEL 2 mg/m <sup>3</sup>

**16. OTHER INFORMATION**

NFPA	Health hazards 3	Flammability 1	Instability 0	Physical and Chemical Properties -
HMIS	Health hazards 3	Flammability 1	Physical hazards 0	Personal protection X

**Disclaimer**

The information provided in this Material Safety Data Sheet is correct to the best of PBI Gordon Corporation's knowledge, information and belief at the date of this publication. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process, unless specified in the text. PBI GORDON CORPORATION MAKES NO WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR COURSE OF PERFORMANCE OR USAGE OF TRADE. Given the variety of factors that can affect the use and application of this product, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluate the product to determine whether it is fit for a particular purpose and suitable for user's method of use or application. Each user is also responsible for evaluating the conditions of use and designing the appropriate protective mechanisms to prevent employee exposures, property damage, or release to the environment. PBI Gordon Corporation assumes no responsibility for injury to the recipient or third persons, or for any damage to any property resulting from misuse of the product.

End of Safety Data Sheet