

Material Safety Data

effective 01-18-10

MSD Ref. CUT Guard WR - Water Reducible

Approved By <u>TWH</u>

Section 1 Product and Company Identification

Product Name: **CUT Guard** Tree Wound Dressing

Description: Resin Solution

Company: Quest Products Corporation, 11712 230th St. Linwood, Kansas 66052

Contact Phone No. 785-542-2577 Fax 785-542-2531

This Material Safety Data Sheet conforms to the requirements of US OSHA 29CFR1910.1200, 91/155/EEC and the Canadian Hazardous Products Act.

Section 2 Composition / Hazardous Ingredients

This product is not considered hazardous as defined by 29CFR1910.1200 and under the provisions of the Superfund Amendments and Reauthorization Act Title III, Sections 311 and 312. See section 8 for additional information.

Phenol (CAS: 108-95-2) <1% Cresole (CAS: 95-48-7) <1 % Resins Content: 43 – 55% NR, CAS Proprietary Alconolamines (CAS: 108-01-0, 9007-33-4) 8 – 19% Organic Calcium (6107-56-8) 1 – 4%; Polyalkyleneglycol (CAS: 71767-64-1) and Ethylene Glycol (CAS: 107-2-1) 10–25%

Section 3 Hazards Identification

Potential Health Effects:

Eyes: Direct liquid contact may cause mild eye irritation

Skin: May cause redness or dermatitis on hypersensitive individuals after prolonged contact.

Ingestion: May cause abdominal discomfort if swallowed.

Inhalation: Not considered a respiratory hazard under conditions of normal use, however many innocuous chemicals may cause minor irritation to mucous membranes in some individuals. Avoid breathing chemicals.

Chronic: No chronic effects known.

Carcinogenicity: No effects known.

Section 4 First Aid

Eyes: Immediatoly flush with water for 2 to 3 minutes, remove contact lenses and repeat flushing for 15 minutes. Seek medical attention if symptoms persist.

Skin: Wash thoroughly with soap and water. Seek medical attention if irritation develops.

Ingestion: Give water to conscious victims only. Do not induce vomiting if swallowed. If vomiting occurs, lean victim forward to prevent aspiration of liquids into the lungs. Seek medical attention if adverse symptoms develop.

Inhalation: Remove to fresh air and supply oxygen if breathing is difficult, Seek medical attention.

Section 5 Fire Fighting Measures

Flash Point: > 300 F COC

Flammable Limits: Not Reported

Extingusihing Media: Carbon dioxide, Dry Chemical, Foam and Water Spray

Explosion Hazards: As with most organic materials, an explosion risk exists if there is a

high concentration of atomized particles in an oxygen environment.

Hazardous Combustion of Products: Oxides of carbon and noxious fumes. **Fire Fighting Equipment:** Wear full protective equipment and a NIOSH-approved self-contained breathing apparatus. Small fires may require only an extinguisher without the SCBA. **Hazardous Decomposition Products:** Hazardous polymerization will not occur.

Section 6 Accidental Release Measures

General Comments: Collect large spills with a shovel, vacuum or scoop and salvage if possible. Material should not be allowed to enter the public drains or waterways. Do not flush down sanitary sewers. Clean the area with a suitable detergent solution.

Sectrion 7 Handling and Storage

Handling: Use appropriate personal protective equipment. While the material is not particularly damaging, it is always a good practice to limit contact of any material to a practical minimum.

Storage: Store material in unopened containers under cool, dry conditions. Keep away from heat, sparks, static sources and fopen flames. Avoid contact with strong oxidizers.

Section 8 Exposure Control / Personal Protection

Exposure Guidelines: OSHA Hazard Components 29CFR1910.1200

Exposure Limits: OSHA PEL ACGIH TLV

 $\frac{\text{ppm}}{\text{ppm}} = \frac{\text{g/m}^3}{\text{ppm}} = \frac{\text{g/m}^3}{\text{ppm}}$

NL 15 total NL 10 total 5 respirable 3 respirable

Engineering Controls: Use in areas with adequate general ventilation

Personal Protective Equipment:

Eyes & Face: Safety glasses or goggles are recommended. Use full-face shield when charging to liquids to prevent splash back into face areas.

Skin: Wear gloves and appropriate protective clothing to prevent chronic contact.

Respiratiory: Respiratory protection is not required. However prevention of dust inhalation is recommended and meets OSHA 29 CFR 1910.134 requirements in dust environments above PEL.

Work Hygiene: Maintain good personal hygiene always and keep work areas clean and dust free.

Section 9 Physical and Chemical Properties

Appearance: Amber viscous liquid **Odor**: Mild Oleochemical

Vapor Pressure: NA Water Solubility: Soluble / Dispersable

Evaporation Rate: NA Specific Gravity: >1

VOC: 35 - 45 % Nonvolatile: 45-55

Section 10 Stability / Reactivity

Stable: Yes Hazardous Polymerization: No

Conditions to Avoid: Sparks, static, open flames, excessive heat or other source of ignition

Storage Stability: Material is stable but will react with strong oxidizing agents

Section 11 Toxicological Information

When used as intended by the manufacturer and specifications, this product will not cause any adverse toxicological effects.

Not listed in: IARC, NTP or OSHA

Section 12 Ecological Information

The environmental data suggests that the material may cause adverse environmental impact if left in contact with ground water for extended periods of time. Keep the material clear of underground or surface waterways and public sewage systems.

Section 13 Disposal Information

Dispose of waste preferably by recycling. If discarding, dispose of waste at an appropriate waste disposal facility according to applicable laws and regulations. In most municipalities, this product may be land filled depending on product characteristics at the time of disposal, Check with your waste disposal authorities for further information and instruction.

Section 14 Transportation Information

DOT Primary Hazard Class / Division: Not Regulated

Section 15 Regulatory Information

SARA Title III (Superfund amendments and Reauthorization Act)

311 / 312 Hazard Categories: This product is not considered to be a hazardous substance under the OSHA hazard Communication Standard, 29 CFR 1910.1200

313 Reportable Ingredients Phenol, m-Cresol

302 EHS / 304 Emergency Planning: Not Listed

CERCLA (Comprehensive Response, Compensation and Liability Act)

CERCLA Regulatory: Not Listed

TSCA Regulatory: This substance is listed on the TSCA Chemical Substance Inventory

RCRA Status: Not Regulated

Clean Air Act: 40 CFR part 61 CAA Hazardous Air Polutants: Not Listed

40 CFR part 68 RMP for Chemical Accident Release Prevention: Not Listed 40 CFR part 82 Protection of Stratospheric Ozone This material is neither manufactured using nor contains any ozone depleting substance subject to the

labeling requirements of the Clean Air Act Amendment.

Section 15 Regulatory Information (continued)

OSHA (Occupational Safety and Health Administration)

29 CFR 1910.119 Process Safety Management of Highly Hazardous Chemicals: Not Regulated

Proposition 65 Statement: Not Listed

Canada WHMIS (Worker Hazardous Materials Information System)
This material has been prepared according to the hazard criteria of the Controlled Products
Regulations (CPR) and it is believed the MSDS contains all the information required by the CPR.

DSL (Domestic Substance List) This product is listed on the DSL.

Section 16 Other Information

NFPA Codes: Health 1 Fire 1 Reactivity 1

HMIS Codes: Health 1 Fire 1 Reactivity 1 Protection X

Additional MSD information: The OSHA Hazard Communication Standard, 29 CFR 1910.1200, paragraph (g)(4) specifically permits chemical manufacturers to produce a single MSD for a category of complex mixtures where those mixtures "have similar hazards and contents". Therefore, this MSD applies to the range of products described in Section 1, or all of the products with the same product name listed in Section 1. Where specific data is required for the purposes of regulatory reporting a Technical Data Sheet will be provided for the specific product upon request to our technical department.