

EZ-JECT[™] Diamondback Herbicide Shells

GLYPHOSATE	GROUP 9		HERBICIDE
Water-Soluble Herbicide in Shells fo Trees and Vines – Roots and All	r Trunk and Stem Injection Cor	itrols Ur	ndesirable Woody Brush,
ACTIVE INGREDIENT:			
Glyphosate, N-(phosphonomethy in the form of its isopropylamine			
(CAS No. 38641-94-0)			83.5%
OTHER INGREDIENTS			16.5%
		Total:	100.0%

Keep Out of Reach of Children CAUTION

See below for First Aid and additional Precautionary Statements.

Net Contents: 1200 Shells Shell Net Weight: 0.01 oz (0.28 g) Total Net Weight: 12 oz (340 g)

EPA Reg. No. 83220-1 • EPA Est. 69117-NE-1



10172 | Street • Omaha, NF 68127 Toll Free: 1-888-395-6732

FIRST AID

If Swallowed: Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

If in Eyes: Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after the first 5 minutes then continue rinsing eye.

Call a poison control center or doctor for treatment advice.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION: Harmful if swallowed. Causes moderate eye irritation. Avoid contact with eyes or clothing. Wear long-sleeved shirt and long pants, socks and shoes.

ENVIRONMENTAL HAZARDS

Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when cleaning equipment or disposing of equipment washwaters.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

USER SAFETY RECOMMENDATIONS

Users should: Thoroughly wash hands after handling before eating, drinking, chewing gum, using tobacco or using the toilet. Remove clothing immediately if pesticide gets inside, then wash thoroughly and put on clean clothing.

PRODUCT INFORMATION

This product is for woody brush, tree and vine control in all non-cropland sites including forestry, roadsides, rights-of-way, industrial, residential, fencerows, railroads and aquatic sites. Woody vegetation may be controlled by injection of EZ-Ject selective injection herbicide shells.

This product moves throughout the tree, brush or vine from the point of injection to all roots and shoots. Symptoms appear gradually (normally within 4 to 8 weeks) beginning with wilting, yellowing and browning of the foliage. This is followed by deterioration of all roots and shoots

For aquatic sites, this product may be injected into stems of trees and brush standing in water or wetlands. Do not apply directly to water or inject into stems below the water level.

Resistance Management Recommendations

For resistance management, EZ-Ject Diamondback Herbicide Shells is a Group 9 herbcide. Any weed population may contain or develop plants naturally resistant to EZ-Ject Diamondback Herbicide Shells and other Group 9 herbicides. The resistant biotypes may dominate the weed population if these herbicides are used repeatedly in the same area. Appropriate resistancemanagement strategies should be followed.



To delay herbicide resistance, take one or more of the following steps:

- Rotate the use of EZ-Ject Diamondback Herbicide Shells or other Group 9 herbicides within a growing season sequence or among growing seasons with different herbicide groups that control the same weeds the area.
- Adopt an integrated weed-management program for herbicide use that includes scouting and uses historical information related to herbicide use and crop rotation, and that considers tillage (or other mechanical control methods), cultural (e.g., higher crop seeding rates; precision fertilizer application method and timing to favor the crop and not the weeds), biological (weed-competitive crops or varieties) and other management practices.
- · Scout after herbicide application to monitor weed populations for early signs of resistance Scott after heriotice application to monitor were populations for early signs or resistance development. Indicators of possible herbicide resistance include: (1) failure to control a weed species normally controlled by the herbicide at the dose applied, especially if control is achieved on adjacent weeds; (2) a spreading patch of non-controlled plants of a particular weed species; (3) surviving plants mixed with controlled individuals of the same species. If resistance is suspected, prevent weed seed production in the affected area by an alternative herbicide from a different group or by a mechanical method such as hoeing or tillage. Prevent movement of resistant weed seeds to other areas by cleaning harvesting and tillage equipment when moving between areas, and planting clean seed.
- . If a weed pest population continues to progress after treatment with this product, discontinue use of this product and switch to another management strategy or herbicide with a different mode of action, if available.
- Contact your local extension specialist or certified crop advisors for additional pesticide resistance-management and/or integrated weed-management recommendations for specific crops and weed biotypes.
- For further information or to report suspected resistance, contact EZ-Ject, Inc. representatives at 888-395-6732.

APPLICATION INSTRUCTIONS

Inject the shells using only EZ-Ject shell injection equipment. The shells must penetrate through the outer bark into living phloem tissue to provide effective results.

For trees with less than 2.5 inch DBH (diameter at breast height), inject one shell per stem. Inject one shell every 4 inches, evenly around the trunk of the tree, below all major branches. Trees, brush and vines may be injected at any time of the year except when wood is frozen. WEEDY BRUSH, TREES AND VINES CONTROLLED

- Alden	- Lleelsheurs	- Dendersee size	-
Alder	 Hackberry 	 Ponderosa pine 	
 Ash 	 Hawthorn 	 Poplar 	
 Aspen, guaking 	 Hazel 	 Poplar, yellow 	
 Big-leaf maple 	 Hemlock 	 Redbud 	
Birch	 Hickory 	 Sagebrush 	
 Black cherry 	 Locust, honey 	 Sassafras 	
 Cascara 	 Lodgepole pine 	 Sourwood 	
 Ceanothus 	 Madron 	 Sumac 	
 Chamise 	 Manzanita 	 Sweet gum 	
 Cherry 	 Maple 	 Tan oak 	
 Cottonwood 	 Mountain maple 	 Vine maple 	
 Dogwood 	• Oak	 Waxmyrtle 	
 Douglas fir 	 Persimmon 	 Western red 	
 Elderberry 	 Pin cherry 	cedar	
• Elm	 Poison ivv 	 Willow 	
 Eucalyptus 	 Poison oak 	-	

STORAGE AND DISPOSAL

Do not contaminate water, foodstuffs, feed or seed by storage or disposal. **Pesticide Storage:** Keep container closed to prevent spills and contamination. At the end of each use period, remove unused shells from EZ-Ject shell injection system. Replace unused shells in original container and re-seal. Store with the open end of the shell pointing up. Pesticide Disposal: Wastes resulting from the use of this product that cannot be used or chemically reprocessed must be disposed of in a landfill approved for pesticide disposal or in accordance with applicable Federal, state and local procedures. **Container Handling:** Non-refillable container; do not reuse or refill this container. Triple rinse (or equivalent) container then offer for recycling, if available; otherwise, discard in trash.

For additional product information call 1-888-395-6732

LIMIT OF WARRANTY AND LIABILITY

LIMIT OF WARRANTY AND LIABILITY EZ-Ject, Inc. warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes set forth in the complete Directions for Use when used in accordance with those Directions under the conditions described therein. NO OTHER EXPRESS WARRANTY OR IMPLIED WARRANTY OF FITNESS FOR A PARTICULAR PURPOSE OR MERCHANTABILITY IS MADE. This warranty is also subject to the conditions and limitations stated herein. Buyer and all users shall promptly notify this Company of any claims whether based in contract, negligence, strict liability, tort or otherwise.

To the extent consistent with applicable law, the exclusive remedy of the user or buyer, and the limit of the liability of this company or any other seller for any and all losses, injuries or damages resulting from the use or handling of this product (including claims based in contract, negligence, strict liability, other tor or otherwise) shall be the purchase price paid by the user or buyer for the quantity of this product involved, or at the election of the company or any other seller, the replacement of such quantity, or if not acquired by purchase, replacement of such quantity. To the extent consistent with applicable law, in no event shall this company or any other seller be liable for any incidental, consequential or special damages.

Upon opening and using this product, buyer and all users are deemed to have accepted the terms of this LIMIT OF WARRANTY AND LIABILITY which may not be varied by any verbal or written agreement. If terms are not acceptable, return at once unopened.

Product protected by U.S. Patent No. 4,405,531. No license granted under any non-U.S. patent(s).